

# Cable ladder systems

## Cover - straight length - 1.5m long (and fixing clamps)

Finish: hot dip galvanised = HDG, substitute SS within part number for stainless steel grade 316

Standard closed covers = C, ventilated cover = CV


Includes 4 fixing clamps and fasteners, 2 covers required for 3m ladder, 4 covers for 6m ladder

Width mm	
150	LSLC/0150HDG/1.5
300	LSLC/0300HDG/1.5
450	LSLC/0450HDG/1.5
600	LSLC/0600HDG/1.5
750	LSLC/0750HDG/1.5
900	LSLC/0900HDG/1.5

Extra fixing clamps  
Pack of 10 (includes fasteners)


Standard cover clip

L/CCC



Ventilated cover clip

L/CCV



## Cover - 90° flat bend


Standard radius 300mm = R300, other radii R450, R600, R750 and R900 (made to order).

Finish: hot dip galvanised = HDG, substitute SS within part number for stainless steel grade 316

Standard closed covers = C, ventilated cover = CV

Includes 4 fixing clamps and fasteners

Width mm	
150	LFBC/0150HDG/90R300
300	LFBC/0300HDG/90R300
450	LFBC/0450HDG/90R300
600	LFBC/0600HDG/90R300
750	LFBC/0750HDG/90R300
900	LFBC/0900HDG/90R300



## Cover - 60° flat bend


Standard radius 300mm = R300, other radii R450, R600, R750 and R900 (made to order).

Finish: hot dip galvanised = HDG, substitute SS within part number for stainless steel grade 316

Standard closed covers = C, ventilated cover = CV

Includes 4 fixing clamps and fasteners

Width mm	
150	LFBC/0150HDG/60R300
300	LFBC/0300HDG/60R300
450	LFBC/0450HDG/60R300
600	LFBC/0600HDG/60R300
750	LFBC/0750HDG/60R300
900	LFBC/0900HDG/60R300



## Cover - 45° flat bend


Standard radius 300mm = R300, other radii R450, R600, R750 and R900 (made to order).

Finish: hot dip galvanised = HDG, substitute SS within part number for stainless steel grade 316

Standard closed covers = C, ventilated cover = CV


Includes 4 fixing clamps and fasteners

Width mm	
150	LFBC/0150HDG/45R300
300	LFBC/0300HDG/45R300
450	LFBC/0450HDG/45R300
600	LFBC/0600HDG/45R300
750	LFBC/0750HDG/45R300
900	LFBC/0900HDG/45R300



### Cover - 30° flat bend


Standard radius 300mm = R300, other radii R450, R600, R750 and R900 (made to order).  
 Finish: hot dip galvanised = HDG, substitute SS within part number for stainless steel grade 316  
 Standard closed covers = C, ventilated cover = CV  
 Includes 4 fixing clamps and fasteners



Width mm	
150	LFBC/0150HDG/30R300
300	LFBC/0300HDG/30R300
450	LFBC/0450HDG/30R300
600	LFBC/0600HDG/30R300
750	LFBC/0750HDG/30R300
900	LFBC/0900HDG/30R300

### Cover - equal tee

Standard radius 300mm = R300, other radii R450, R600, R750 and R900 (made to order).  
 Finish: hot dip galvanised = HDG, substitute SS within part number for stainless steel grade 316  
 Standard closed covers = C, ventilated cover = CV  
 Includes 6 fixing clamps and fasteners



Width mm	
150	LET/0150HDGR300
300	LET/0300HDGR300
450	LET/0450HDGR300
600	LET/0600HDGR300
750	LET/0750HDGR300
900	LET/0900HDGR300

### Cover - unequal tee (made to order)


Standard radius 300mm = R300, other radii R450, R600, R750 and R900.  
 Finish: hot dip galvanised = HDG, substitute SS within part number for stainless steel grade 316  
 Standard closed covers = C, ventilated cover = CV  
 Includes 6 fixing clamps and fasteners

How to generate the part number - LUT (cover type)/W1/W2(finish) (radius)

Example - LUT/300/150/HDGR300


Table below shows a complete list of W1 and W2 combinations.

W1	W2	W1	W2	W1	W2	W1	W2
150	300	300	750	600	300	750	900
150	450	300	900	600	450	900	150
150	600	450	150	600	750	900	300
150	750	450	300	600	900	900	450
150	900	450	600	750	150	900	600
300	150	450	750	750	300	900	750
300	450	450	900	750	450		
300	600	600	150	750	600		



### Cover - crossover

Standard radius 300mm = R300, other radii R450, R600, R750 and R900 (made to order).  
 Finish: hot dip galvanised = HDG, substitute SS within part number for stainless steel grade 316  
 Standard closed covers = C, ventilated cover = CV  
 Includes 8 fixing clamps and fasteners



Width mm	
150	LCOC/0150HDGR300
300	LCOC/0300HDGR300
450	LCOC/0450HDGR300
600	LCOC/0600HDGR300
750	LCOC/0750HDGR300
900	LCOC/0900HDGR300

# Cable ladder systems


## Cover - straight reducer

Finish: hot dip galvanised = HDG, substitute SS within part number for stainless steel grade 316

Standard closed covers = C, ventilated cover = CV

Includes 4 fixing clamps and fasteners

Width mm		
W1	W2	
300	150	LSRC/0300/0150HDG
450	150	LSRC/0450/0150HDG
600	150	LSRC/0600/0150HDG
750	150	LSRC/0750/0150HDG
900	150	LSRC/0900/0150HDG
450	300	LSRC/0450/0300HDG
600	300	LSRC/0600/0300HDG
750	300	LSRC/0750/0300HDG
900	300	LSRC/0900/0300HDG
600	450	LSRC/0600/0450HDG
750	450	LSRC/0750/0450HDG
900	450	LSRC/0900/0450HDG
750	600	LSRC/0750/0600HDG
900	600	LSRC/0900/0600HDG
900	750	LSRC/0900/0750HDG




## Cover - left hand reducer

Finish: hot dip galvanised = HDG, substitute SS within part number for stainless steel grade 316

Standard closed covers = C, ventilated cover = CV

Includes 4 fixing clamps and fasteners

Width mm		
W1	W2	
300	150	LLRC/0300/0150HDG
450	150	LLRC/0450/0150HDG
600	150	LLRC/0600/0150HDG
750	150	LLRC/0750/0150HDG
900	150	LLRC/0900/0150HDG
450	300	LLRC/0450/0300HDG
600	300	LLRC/0600/0300HDG
750	300	LLRC/0750/0300HDG
900	300	LLRC/0900/0300HDG
600	450	LLRC/0600/0450HDG
750	450	LLRC/0750/0450HDG
900	450	LLRC/0900/0450HDG
750	600	LLRC/0750/0600HDG
900	600	LLRC/0900/0600HDG
900	750	LLRC/0900/0750HDG




### Cover - right hand reducer

Finish: hot dip galvanised = HDG, substitute SS within part number for stainless steel grade 316

Standard closed covers = C, ventilated cover = CV

Includes 4 fixing clamps and fasteners

Width mm		
W1	W2	
300	150	LRRC/0300/0150HDG
450	150	LRRC/0450/0150HDG
600	150	LRRC/0600/0150HDG
750	150	LRRC/0750/0150HDG
900	150	LRRC/0900/0150HDG
450	300	LRRC/0450/0300HDG
600	300	LRRC/0600/0300HDG
750	300	LRRC/0750/0300HDG
900	300	LRRC/0900/0300HDG
600	450	LRRC/0600/0450HDG
750	450	LRRC/0750/0450HDG
900	450	LRRC/0900/0450HDG
750	600	LRRC/0750/0600HDG
900	600	LRRC/0900/0600HDG
900	750	LRRC/0900/0750HDG



### Cover - 90° external riser


Standard radius 300mm = R300, other radii R450, R600, R750 and R900 (Made to order)

Finish: hot dip galvanised = HDG, substitute SS within part number for stainless steel grade 316

Standard closed covers = C, ventilated cover = CV

Includes 4 fixing clamps and fasteners

Width mm	Light duty 50mm deep	Medium duty 100mm deep	Heavy duty 125mm deep	Extra heavy duty 150mm deep
150	LERC050/0150HDG/90R300	LERC100/0150HDG/90R300	LERC125/0150HDG/90R300	LERC150/0150HDG/90R300
300	LERC050/0300HDG/90R300	LERC100/0300HDG/90R300	LERC125/0300HDG/90R300	LERC150/0300HDG/90R300
450	LERC050/0450HDG/90R300	LERC100/0450HDG/90R300	LERC125/0450HDG/90R300	LERC150/0450HDG/90R300
600	N/A	LERC100/0600HDG/90R300	LERC125/0600HDG/90R300	LERC150/0600HDG/90R300
750	N/A	LERC100/0750HDG/90R300	LERC125/0750HDG/90R300	LERC150/0750HDG/90R300
900	N/A	LERC100/0900HDG/90R300	LERC125/0900HDG/90R300	LERC150/0900HDG/90R300



### Cover - 60° external riser


Standard radius 300mm = R300, other radii R450, R600, R750 and R900 (Made to order)

Finish: hot dip galvanised = HDG, substitute SS within part number for stainless steel grade 316

Standard closed covers = C, ventilated cover = CV

Includes 4 fixing clamps and fasteners

Width mm	Light duty 50mm deep	Medium duty 100mm deep	Heavy duty 125mm deep	Extra heavy duty 150mm deep
150	LERC050/0150HDG/60R300	LERC100/0150HDG/60R300	LERC125/0150HDG/60R300	LERC150/0150HDG/60R300
300	LERC050/0300HDG/60R300	LERC100/0300HDG/60R300	LERC125/0300HDG/60R300	LERC150/0300HDG/60R300
450	LERC050/0450HDG/60R300	LERC100/0450HDG/60R300	LERC125/0450HDG/60R300	LERC150/0450HDG/60R300
600	N/A	LERC100/0600HDG/60R300	LERC125/0600HDG/60R300	LERC150/0600HDG/60R300
750	N/A	LERC100/0750HDG/60R300	LERC125/0750HDG/60R300	LERC150/0750HDG/60R300
900	N/A	LERC100/0900HDG/60R300	LERC125/0900HDG/60R300	LERC150/0900HDG/60R300



# Cable ladder systems


## Cover - 45° external riser

Standard radius 300mm = R300, other radii R450, R600, R750 and R900 (made to order)

Finish: hot dip galvanised = HDG, substitute SS within part number for stainless steel grade 316

Standard closed covers = C, ventilated cover = CV

Includes 4 fixing clamps and fasteners



Width mm	Light duty 50mm deep	Medium duty 100mm deep	Heavy duty 125mm deep	Extra heavy duty 150mm deep
150	LERC050/0150HDG/45R300	LERC100/0150HDG/45R300	LERC125/0150HDG/45R300	LERC150/0150HDG/45R300
300	LERC050/0300HDG/45R300	LERC100/0300HDG/45R300	LERC125/0300HDG/45R300	LERC150/0300HDG/45R300
450	LERC050/0450HDG/45R300	LERC100/0450HDG/45R300	LERC125/0450HDG/45R300	LERC150/0450HDG/45R300
600	N/A	LERC100/0600HDG/45R300	LERC125/0600HDG/45R300	LERC150/0600HDG/45R300
750	N/A	LERC100/0750HDG/45R300	LERC125/0750HDG/45R300	LERC150/0750HDG/45R300
900	N/A	LERC100/0900HDG/45R300	LERC125/0900HDG/45R300	LERC150/0900HDG/45R300


## Cover - 30° external riser

Standard radius 300mm = R300, other radii R450, R600, R750 and R900 (made to order)

Finish: hot dip galvanised = HDG, substitute SS within part number for stainless steel grade 316

Standard closed covers = C, ventilated cover = CV

Includes 4 fixing clamps and fasteners



Width mm	Light duty 50mm deep	Medium duty 100mm deep	Heavy duty 125mm deep	Extra heavy duty 150mm deep
150	LERC050/0150HDG/30R300	LERC100/0150HDG/30R300	LERC125/0150HDG/30R300	LERC150/0150HDG/30R300
300	LERC050/0300HDG/30R300	LERC100/0300HDG/30R300	LERC125/0300HDG/30R300	LERC150/0300HDG/30R300
450	LERC050/0450HDG/30R300	LERC100/0450HDG/30R300	LERC125/0450HDG/30R300	LERC150/0450HDG/30R300
600	N/A	LERC100/0600HDG/30R300	LERC125/0600HDG/30R300	LERC150/0600HDG/30R300
750	N/A	LERC100/0750HDG/30R300	LERC125/0750HDG/30R300	LERC150/0750HDG/30R300
900	N/A	LERC100/0900HDG/30R300	LERC125/0900HDG/30R300	LERC150/0900HDG/30R300


## Cover - 90° internal riser

Standard radius 300mm = R300, other radii R450, R600, R750 and R900 (made to order)

Finish: hot dip galvanised = HDG, substitute SS within part number for stainless steel grade 316

Standard closed covers = C, ventilated cover = CV

Includes 4 fixing clamps and fasteners



Width mm	
150	LIRC/0150HDG/90R300
300	LIRC/0300HDG/90R300
450	LIRC/0450HDG/90R300
600	LIRC/0600HDG/90R300
750	LIRC/0750HDG/90R300
900	LIRC/0900HDG/90R300

### Cover - 60° internal riser


Standard radius 300mm = R300, other radii R450, R600, R750 and R900 (made to order)

Finish: hot dip galvanised = HDG, substitute SS within part number for stainless steel grade 316

Standard closed covers = C, ventilated cover = CV

Includes 4 fixing clamps and fasteners

Width mm	
150	LIRC/0150HDG/60R300
300	LIRC/0300HDG/60R300
450	LIRC/0450HDG/60R300
600	LIRC/0600HDG/60R300
750	LIRC/0750HDG/60R300
900	LIRC/0900HDG/60R300



### Cover - 45° internal riser


Standard radius 300mm = R300, other radii R450, R600, R750 and R900 (made to order)

Finish: hot dip galvanised = HDG, substitute SS within part number for stainless steel grade 316

Standard closed covers = C, ventilated cover = CV

Includes 4 fixing clamps and fasteners

Width mm	
150	LIRC/0150HDG/45R300
300	LIRC/0300HDG/45R300
450	LIRC/0450HDG/45R300
600	LIRC/0600HDG/45R300
750	LIRC/0750HDG/45R300
900	LIRC/0900HDG/45R300



### Cover - 30° internal riser

Standard radius 300mm = R300, other radii R450, R600, R750 and R900 (made to order)

Finish: hot dip galvanised = HDG, substitute SS within part number for stainless steel grade 316

Standard closed covers = C, ventilated cover = CV

Includes 4 fixing clamps and fasteners

Width mm	
150	LIRC/0150HDG/30R300
300	LIRC/0300HDG/30R300
450	LIRC/0450HDG/30R300
600	LIRC/0600HDG/30R300
750	LIRC/0750HDG/30R300
900	LIRC/0900HDG/30R300

